
HOW TO MEASURE
GUIDE FOR APPAREL VENDORS
QVC ITALIA


How to Measure - T- Shirt

- 1 Chest 1" below armhole measure straight across, edge to edge.
- 2 Waist At point specified below HPS (High Point Shoulder) or SNP (Side Neck Point). Measurement taken straight across, edge to edge.
- 3 Hem Measured straight or curved along bottom edge, side seam to side seam (whichever is specified on the measurement chart).
- 4 Shoulder Seam From HPS/SNP measure along the seam to the outer shoulder edge.
- 5 Cross Shoulder Seam From outer shoulder edge to outer shoulder edge.
- 6 Sleeve Over arm From outer shoulder edge, measure along fold to the sleeve opening.
- 7 Armhole Straight Measure straight from outer shoulder edge to bottom of armhole. Armhole Curved Measure from outer shoulder edge along curve to bottom of armhole.
- 8 Bicep 1" below armhole, measure straight across edge to edge parallel to the sleeve opening.
- 9 Sleeve Opening Measure along sleeve opening, edge to edge.
- 10 Across Front From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 11 Across Back From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 12 Back Neck Width Edge to edge, seam to seam or inside binding (whichever is specified on the measurement chart).
- 13 Front Neck Drop From imaginary line to top edge of front neck.
- 14 Back Neck Drop From imaginary line to top edge of back neck.
- 15 Front Length Measurement taken from HPS/SNP straight down to the hem.
- 16 Centre Back Length From the centre back neck, measure straight down to the hem.




How to Measure - Vest

- 1 Chest 1" below armhole measure straight across, edge to edge.
- 2 Waist At point specified below HPS (High Point Shoulder) or SNP (Side Neck Point). Measurement taken straight across, edge to edge.
- 3 Hem Measured straight across or along the curve at bottom edge, side seam to side seam (whichever is specified on the measurement chart).
- 4 Shoulder Seam From HPS/SNP measure along the seam to the outer shoulder edge.
- 5 Armhole Straight Measure straight from outer shoulder edge to bottom of armhole. Armhole Curved Measure from outer shoulder edge alon
- 6 Across Front From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 7 Across Back From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 8 Back Neck Width Edge to edge, seam to seam or inside binding (whichever is specified on the measurement chart).
- 9 Front Neck Drop From imaginary line to top edge of front neck.
- 10 Back Neck Drop From imaginary line to top edge of back neck.
- 11 Front Length Measurement taken from HPS/SNP straight down to the hem.
- 12 Centre Back Length From the centre back neck, measure straight down to the hem.




How to Measure - Cami Vest

- 1 Chest 1" below armhole measure straight across, edge to edge.
- 2 Waist At point specified below centre front neck. Measurement taken straight across, edge to edge.
- 3 Hem Measured straight across or curved along bottom edge, side seam to side seam (whichever is specified on the measurement chart).
- 4 **Armhole Curved -** Measure from the apex along the curve to underarm.
- 5 **Total Strap Length -** Measure from the front apex to the back apex.
- 6 Front/Back Neck Width Measure straight across between straps.
- 7 Front/Back Neck Drop From imaginary line to top edge of neckline.
- 8 Front Length Measure from the apex straight down to the hem.
- 9 Centre Back Length From top edge of centre back neck, measure straight down to the hem.




How to Measure - Shirts & Blouses


- 1 Chest 1" below armhole measure straight across, edge to edge.
- 2 Waist At point specified below HPS (High Point Shoulder) or SNP (Side Neck Point). Measurement taken straight across, edge to edge.
- 3 Hem Measured straight or curved along bottom edge, side seam to side seam (whichever is specified on the measurement chart).
- 4 Shoulder Seam From HPS/SNP measure along the seam or along the natural fold line to the outer shoulder edge.
- 5 Across Shoulder Outer shoulder edge to outer shoulder edge
- 6 Sleeve Over arm From outer shoulder edge measure along fold to the edge of cuff.
- 7 Armhole Straight Measure straight from outer shoulder edge to bottom of armhole. Armhole Curved Measure from outer shoulder edge along curve to bottom of armhole
- 8 Bicep 1" below armhole, measure straight across edge to edge parallel to the sleeve opening.
- 9 Cuff/Sleeve Opening Measure along cuff/sleeve opening, edge to edge.
- 10 Cuff Depth Measure from the seam to edge of cuff.
- 11 Across Front From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 12 Across Back From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 13 Front Neck Drop From back neck seam to top edge of front neck.
- 14 Back Neck Drop From imaginary line to top edge of back neck seam.
- 15 Front Length Measurement taken from HPS/SNP straight down to the hem, staying parallel to the centre front.
- 16 Centre Back Length From the centre back neck, measure straight down to the hem.



How to Measure - Waistcoat


- 1 Chest 1" below armhole measure straight across, edge to edge.
- 2 Waist At point specified below HPS (High Point Shoulder) or SNP (Side Neck Point). Measurement taken straight across, edge to edge.
- 3 Hem Measured straight across or along the bottom edge at back.
- 4 Shoulder Seam From HPS/SNP measure along the seam to the outer shoulder edge.
- 5 Armhole Straight Measure straight from outer shoulder edge to bottom of armhole. Armhole Curved Measure from outer shoulder edge along curve to bottom of armhole.
- 6 Across Front From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 7 Across Back From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 8 Back Neck Width Edge to edge or seam to seam.
- 9 Front Neck Drop From imaginary line to break point.
- 10 Back Neck Drop From imaginary line to top edge of back neck.
- 11 Front Length Measurement taken from HPS/SNP straight down to hem at longest point.
- 12 Centre Back Length From the centre back neck, measure straight down to the hem.






How to Measure - Jumper

- 1 **Chest** 1" below armhole measure straight across, edge to edge.
- 2 Waist At point specified below HPS (High Point Shoulder) or SNP (Side Neck Point). Measurement taken straight across, edge to edge.
- 3 **Hem Width** Measured straight along bottom edge, side seam to side seam.
- 4 Hem Rib Depth Measure from the top edge of the rib to the bottom edge at hem
- 5 Shoulder Seam From HPS/SNP measure along the seam to the outer shoulder edge.
- 6 Across Shoulder Outer shoulder edge to outer shoulder edge
- 7 Sleeve Over arm From outer shoulder edge, measure along fold to the sleeve opening.
- 8 Armhole Straight Measure straight from outer shoulder edge to bottom of armhole. Armhole Curved Measure from outer shoulder edge along curve to bottom of armhole
- 9 Bicep 1" below armhole, measure straight across edge to edge parallel to the sleeve opening.
- 10 Sleeve Opening Measure along sleeve opening, edge to edge.
- 11 Sleeve Rib Depth Measure from the top edge of the sleeve rib to the bottom edge of sleeve opening.
- 12 Across Front From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 13 Across Back From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 14 Back Neck Width Edge to edge, seam to seam or inside binding (whichever is specified on point of measure chart).
- 15 Front Neck Drop From imaginary line to top edge of front neck.
- 16 Back Neck Drop From imaginary line to top edge of back neck.
- 17 Front Length Measurement taken from HPS/SNP straight down to the hem.
- 18 Centre Back Length From the centre back neck, measure straight down to the hem.




How to Measure - Dress


- 1 Chest 1" below armhole measure straight across, edge to edge.
- 2 Waist At point specified below HPS (High Point Shoulder) or SNP (Side Neck Point). Measurement taken straight across, edge to edge
- 3 High Hip 4" below waist, measure straight across, edge to edge.
- 4 Low Hip 8" below waist, measure straight across, edge to edge.
- 5 Hem Measured straight or curved along bottom edge, side seam to side seam (whichever is specified on the measurement chart)
- 6 Shoulder Seam From HPS/SNP measure along the seam to the outer shoulder edge.
- 7 Sleeve Over arm From outer shoulder edge measure along fold to the sleeve opening.
- 8 Armhole Straight Measure straight from outer shoulder edge to bottom of armhole. Armhole Curved Measure from outer shoulder edge along curve to bottom of armhole.
- 9 Bicep 1" below armhole, measure straight across edge to edge parallel to the sleeve opening.
- 10 Cuff/Sleeve Opening Measure along cuff/sleeve opening, edge to edge.
- 11 Cuff Depth Measure from seam to end of sleeve opening.
- 12 Across Front From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 13 Across Back From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 14 Back Neck Width Edge to edge, seam to seam or inside binding (whichever is specified on the measurement chart)
- 15 Front Neck Drop From imaginary line to top edge of front neck.
- 16 Back Neck Drop From imaginary line to top edge of back neck.
- 17 Front Length Measurement taken from HPS/SNP straight down to the hem.
- 18 Centre Back Length From the centre back neck, measure straight down to the hem.




How to Measure - Skirt

- 1 Waist Measured straight along top edge
- 2 Waistband Depth From top edge of waistband to bottom edge of waistband.
- 3 Top Hip Measure down 4" below waistband (or top edge if no waistband) and straight across edge to edge.
- 4 Lower Hip Measure down 8" below waistband (or top edge if no waistband) and straight across edge to edge.
- 5 Hem Measured straight or curved along bottom edge, side seam to side seam (whichever is specified on the measurement chart).
- 6 Centre Back Length Excluding waistband, measure straight down to hem (if no waistband, measure from the top edge).
- 7 Vent/Split Length Measure from top of vent/split to hem.
- 8 Zip Length Measure from below waistband (or top edge if no waistband) to base of zip









How to Measure - Trousers & Shorts


- 1 Waist Measured straight along top edge
- 2 Waistband Depth From top edge of waistband to bottom edge of waistband.
- 3 Top Hip Measure down 4" below waistband (or top edge if no waistband) and straight across edge to edge.
- 4 Lower Hip Measure down 8" below waistband (or top edge if no waistband) and straight across edge to edge.
- 5 Leg Opening Measure from inner edge to outer edge straight across bottom opening.
- 6 Thigh From 1" below crotch, measure from inner edge to outer edge straight across parallel to leg opening.
- 7 Knee At halfway point between the crotch & leg opening, measure the knee width edge to edge parallel to leg opening.
- 8 Front Rise Straighten rise without stretching and measure from below waistband (or top edge if no waistband) to crotch join.
- 9 Back Rise Straighten rise without stretching and measure from below waistband (or top edge if no waistband) to crotch join.
- 10 Inside Leg Measure from crotch join seam straight down to hem.
- 11 Outside Leg Measure from below waistband at side seam straight down to hem.
- 12 Yoke Depth at centre back Measure from below waistband/top edge straight down to longest point.
- 13 Yoke Depth at side seam Measure from below waistband straight down along side seam.





How to Measure - Coats, Jackets & Blazers


- 1 Chest 1" below armhole measure straight across, edge to edge.
- 2 Waist At point specified below HPS (High Point Shoulder) or SNP (Side Neck Point). Measurement taken straight across, edge to edge.
- 3 Lower Hip 8" below waist, measure straight across, edge to edge.
- 4 Hem Measured straight or curved along bottom edge, side seam to side seam (whichever is specified on the measurement chart).
- 5 Shoulder Seam From HPS/SNP measure along the seam to the outer shoulder edge.
- 6 Sleeve Over arm From outer shoulder edge measure along fold to the sleeve opening.
- 7 Armhole Straight Measure straight from outer shoulder edge to bottom of armhole. Armhole Curved Measure from outer shoulder edge along curve to bottom of armhole.
- 8 Bicep 1" below armhole, measure straight across edge to edge parallel to the sleeve opening.
- 9 Cuff/Sleeve Opening Measure along cuff/sleeve opening, edge to edge.
- 10 Cuff Depth Measure from seam to end of sleeve opening.
- 11 Across Front From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 12 Across Back From specified point below HPS/SNP, measure straight across, edge to edge of armhole.
- 13 Front Neck Drop From back neck seam to break point.
- 14 Back Neck Drop From imaginary line to back neck seam.
- 15 Front Length Measurement taken from HPS/SNP straight down to the hem, staying parallel to the centre front.
- 16 **Centre Back Length** From the centre back neck, measure straight down to the hem.



How to Measure the following:

Collars


- 1 Collar Leaf edge
- 2 Collar Depth
- 3 Collar Neck circumference
- 4 Collar Stand depth
- 5 Collar Point
- 6 Collar Spread






Hoods & Roll necks


- 1 Hood Opening At c/front
- 2 Hood Width At widest
- 3 Hood Overhead
- 4 Roll Neck Width Top edge
- 5 Roll Neck Depth
- 6 Roll Neck Width Neck seam





Raglan


- 1 Sleeve Over arm
- 2 Bicep Width
- 3 Front Raglan seam
- 4 Back Raglan seam



How to Measure the following:

Waistband, zips & belts

- 1 Waistband/Belt Depth
- 2 Belt Loop Length
- 3 Belt Loop Width
- 4 Drawstring Length
- 5 Zip Length
- 6 Belt Length





Pockets

- 1 Pocket Width
- 2 Pocket Depth
- 3 Pocket Flap Width
- 4 Pocket Flap Depth
- 5 Pocket Opening Straight
- 6 Pocket Opening Along Curve

